

cofc



Attorney Docket No.: 01CON338P  
Patent No. 7,164,719  
Serial No. 09/733,567

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

<p>Applicant(s): Thyssen, Jes Patent No.: 7,164,719 Issue Date: January 16, 2007 Filing Date: December 8, 2000 Application Serial No.: 09/733,567</p> <p>Title: System to Reduce Distortion Due to Coding with a Sample-By-Sample Quantization</p>	<p>Group Art Unit: 2634 Examiner: Odom, Curtis</p>
--	--

**REQUEST FOR A CERTIFICATE OF CORRECTION FOR PTO'S ERROR**

Commissioner for Patents  
Office of Patent Publication  
Attention: Certificates of Correction Branch  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**  
FEB 26 2007  
**of Correction**

Dear Sir/Madam:


Applicants respectfully request that a certificate of correction be issued to correct some mistakes made by the Patent Office in the claims of the above-referenced patent, and no fault of applicant, as shown in the enclosed copy of Form PTO-1050.

The Assistant Commissioner is hereby authorized to charge or credit Deposit Account No. 50-0731 for any deficiency or overpayment in the fees required for the filing of this request for a certificate of correction, for which purpose a duplicate copy of this paper is also included.

FEB 27 2007

A certificate of correction is respectfully requested. Applicants respectfully invite the examiner to contact the undersigned for any questions.

Respectfully Submitted;  
FARJAMI & FARJAMI LLP



Farshad Farjami, Esq.  
Reg. No. 41,014

Farshad Farjami, Esq.  
FARJAMI & FARJAMI LLP  
26522 La Alameda Ave., Suite 360  
Mission Viejo, California 92691  
Tel: (949) 282-1000  
Fax: (949) 282-1002

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service "First Class Mail Post Office to addressee" under 37 C.F.R. Sec. 1.10 addressed to: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450, on 2/12/07.

Christina Carter Ellis  
Name

  
Signature

FEB 27 2007



Attorney Docket No.: 01CON338P  
Patent No. 7,164,719  
Serial No. 09/733,567

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

<p>Applicant(s): Thyssen, Jes Patent No.: 7,164,719 Issue Date: January 16, 2007 Filing Date: December 8, 2000 Application Serial No.: 09/733,567</p> <p>Title: System to Reduce Distortion Due to Coding with a Sample-By-Sample Quantization</p>	<p>Group Art Unit: 2634</p> <p>Examiner: Odom, Curtis</p>
--	---

**REQUEST FOR A CERTIFICATE OF CORRECTION FOR PTO'S ERROR**

Commissioner for Patents  
Office of Patent Publication  
Attention: Certificates of Correction Branch  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir/Madam:


Applicants respectfully request that a certificate of correction be issued to correct some mistakes made by the Patent Office in the claims of the above-referenced patent, and no fault of applicant, as shown in the enclosed copy of Form PTO-1050.

The Assistant Commissioner is hereby authorized to charge or credit Deposit Account No. 50-0731 for any deficiency or overpayment in the fees required for the filing of this request for a certificate of correction, for which purpose a duplicate copy of this paper is also included.

FEB 27 2007

A certificate of correction is respectfully requested. Applicants respectfully invite the examiner to contact the undersigned for any questions.

Respectfully Submitted;  
FARJAMI & FARJAMI LLP



Farshad Farjami, Esq.  
Reg. No. 41,014

Farshad Farjami, Esq.  
FARJAMI & FARJAMI LLP  
26522 La Alameda Ave., Suite 360  
Mission Viejo, California 92691  
Tel: (949) 282-1000  
Fax: (949) 282-1002

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service "First Class Mail Post Office to addressee" under 37 C.F.R. Sec. 1.10 addressed to: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450, on 2/12/07.

Christina Carter Ellis  
Name

Christina Carter Ellis  
Signature

FEB 27 2007

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2PATENT NO. : **7,164,719**APPLICATION NO.: **09/733,567**ISSUE DATE : **January 16, 2007**INVENTOR(S) : **Thyssen, Jes**

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the claims, column 14, line 46, "one" should be inserted immediately before "frame".

In the claims, column 14, line 50, "levels" should be changed to --level for each of a plurality of samples--.

In the claims, column 14, line 52, "one" should be inserted immediately before "frame".

In the claims, column 14, line 54, "one" should be inserted immediately before "frame".

In the claims, column 14, line 55, "the reduction of" should be changed to --reducing--.

In the claims, column 14, line 56, "part of the pre-processing" should be changed to --part of a pre-processing--.

In the claims, column 14, line 57, "speech" should be inserted immediately before "signal".

In the claims, column 14, line 58, "the reduction of" should be changed to --reducing--.

In the claims, column 14, line 59, "part of the pre-processing" should be changed to --part of a pre-processing--.

In the claims, column 14, line 60, "speech" should be inserted immediately before "signal".

In the claims, column 15, line 3, "each of the quantization levels for" should be inserted immediately after "for".

In the claims, column 15, line 5, "summed" should be inserted immediately before "expected".

In the claims, column 15, line 8, "determining the distribution of the signal quantized to each" should be changed to --determining a distribution of the previously quantized signal--.

In the claims, column 15, line 9, "of" should be changed to --within--.

In the claims, column 15, line 13, "previously quantized" should be inserted immediately before "signal".

(Continued on Page 2)

In the claims, column 15, line 17, "claim 11" should be changed to --claim 10--.

In the claims, column 15, line 18, "the remainder of the method if the signal" should be changed to --the method after the initially determining if the signal--.

In the claims, column 15, line 23, "the" should be changed to --a--.

In the claims, column 15, line 24, "o" should be changed to --to--.

In the claims, column 15, line 33, "determining the" should be changed to --determining a--.

In the claims, column 15, line 62, "the quantization level" should be changed to --a quantization level--.

In the claims, column 15, line 64, "the" should be changed to --an--.

In the claims, column 15, line 67, "quantization levels of the frame" should be changed to --samples--.

In the claims, column 16, line 43, "of each of the quantization levels in the frame" should be inserted immediately after "distortion".

MAILING ADDRESS OF SENDER:

PATENT NO: 7,164,719

Farshad Farjami, Esq.  
Farjami & Farjami LLP  
26522 La Alameda Avenue, Suite 360  
Mission Viejo, California 92691

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application for to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*